## **Claims**

1		1. An incontinence article, comprising:
2		a front portion;
3		a rear portion joined to the front portion; and
4		a bumper positioned on at least one of the front portion and the rear
5		portion.
1		2. The article of claim 1, further comprising a front guard extending from the
2		front portion, wherein the bumper is positioned along a top edge of the front
3	it, ind that the after the fact that	guard.
1		3. The article of claim 1, further comprising a back guard extending from the rear
2	Here was some way the wife with the second that the second the second that the second the second that the seco	portion, wherein the bumper is attached along a top edge of the back guard.
1	early gent and a second gent and gent a	4. The article of claim 1, wherein the bumper is positioned along a top edge of the
2		front portion.
1		5. The article of claim 1, wherein the bumper is positioned along a top edge of the
2		rear portion.
1		6. The article of claim 1, wherein the bumper is a block.

7. The article of claim 1, wherein the bumper is a roll.

1		14. An incontinence article, comprising:
2		a front portion;
3		a rear portion having a back guard extending therefrom;
4		a crotch portion between the front portion and the rear portion; and
5		a bumper positioned on at least one of the front portion and the back
6		guard.
1		15. The article of claim 14, wherein the bumper is positioned along a top edge of
2		the back guard.
1 2	with the state of	16. The article of claim 14, wherein the bumper is positioned along a top edge of the front portion.
1	Stock Sheet	17. The article of claim 14, wherein a first bumper is positioned along a top edge
2	Jung unity Transfe unity Transfe unity Transfe unity	of the back guard, and wherein a second bumper is positioned along a top edge of
3	State	the rear portion.
1		19. The article of claim 14, wherein the bumper is a roll.
1		20. The article of claim 14, wherein the bumper is a block.

1		21. An incontinence article, comprising:
2		a front portion having a front guard extending therefrom;
3		a rear portion;
4		a crotch portion between the front portion and the rear portion; and
5		a bumper positioned on at least one of the front guard and the rear portion.
1		22. The article of claim 21, wherein the bumper is positioned along a top edge of
2		the front guard.
1 2		23. The article of claim 21, wherein the bumper is positioned along a top edge of the rear portion.
1		24. The article of claim 21, wherein a first bumper is positioned along a top edge
2		of the front guard, and wherein a second bumper is positioned along a top edge of
3	den des den den den den des	the rear portion.
1		25. The article of claim 21, wherein the bumper is a roll.

26. The article of claim 21, wherein the bumper is a block.

1